



TENT, CANOPY, AND TEMPORARY MEMBRANE STRUCTURE GUIDELINES

March 2024

Tent, Canopy, and Temporary Membrane Structure Guidelines

- I. Purpose
- II. Definitions
- III. Permit Information
- IV. Membrane Structure Requirements
- V. Requirements

Appendix

- A. Exit Sign
- B. No Smoking Sign

Tent, Canopy, and Temporary Membrane Structure Guidelines

I. Purpose

This document will serve as a guide to all departments who

There will be a \$30 fee per permit from the Greeley Fire Department.

Contracted tent and canopy companies can provide services to obtain the permit and provide permit-required materials.

An inspection may be conducted by the Greeley Fire Department once the structure is set up.

IV. Membrane Structure Requirements

Temporary structures shall not be located within 20 feet of lot lines, buildings, parked vehicles, or internal combustion engines.

4.

17. **LP-Gas Containers:** Portable Liquefied Petroleum gas containers with a capacity of 500 gallons or less shall have a minimum separation between containers and temporary structures not less than 10 feet.

18. **Minimum number of exits:** The minimum number of exits shall be as listed on the chart below. The maximum travel distance to an exit shall be 100 feet when inside the temporary structure.

Occupancy Load	Minimum number of exits	Minimum Width of each Tent Exit
-----------------------	--------------------------------	--



